10	INFORMATION DISCLOSURE CITATION IN AN APPLICATION			ATTY. DOCKET NO. 49657-961 SERIAL NO. 09/769,490							
SEP 187	6			APPLICANT Kenji ITOGA, et al.							
PATTER	(PTO-1	1449)		FILING DATE  January 26, 2							
TADE	lill.	U.	S. PATENT	T DOCUMENTS							
EXAMINER'S INITIALS	PATENT NO.	DATE		NAME	CLASS	SUBCLASS	FILING DATE				
4	4634643	01/06/1987	SUZU	KI							
	-						-				
			-								
						<u> </u>					
				<u> </u>							
						1					
		FODI	CICNI DATE	NT DOCUMEN	TC						
EXAMINER'S		ruki	LIGN PAIR	NI DOCUMEN	Translation						
INITIALS	PATENT NO.	DATE	C	OUNTRY	CLASS	SUBCLASS	V	N-			
dV .	8-152499	06/11/1996	Ianan (w/ E	nglish Abstract)			Yes	No }			
	0 597 664 A2	05/18/1994		inglish 7 toottact)							
*	4,634,643	03/18/1994									
41											
4	0 597 664 A2	05/18/1994	EFU					X			
		1 DE 6	<u> </u>	mid n	<u> </u>	<u> </u>					
				, Title, Date, Per							
#		t al., Structur	al Biologica	e-Resolved Biolo Applications of							
lar j'grane en e											
EXAMINER	Es-			ATE CONSIDER	RED	3/12/0	93				

INFORMATION DISCLOSURE CITATION IN AN APPLICATION				ATTY. DOCKET NO. 49657-961  SERIAL NO. 09/769,4969  APPLICANT Kenji ITOGA, et al. FILING DATE  GROUP					
NOV 2 5 20	કો				APPLICANT Kenji ITOGA, et al.				
REP.	(PTO-1	449)			FILING DATE  January 26, 2		GROUP <b>2882</b>		93
THE STATE OF THE S		U	.S. PATEN	T	DOCUMENTS				
EXAMINER'S INITIALS PATENT NO. DATE				N	IAME	CLASS	SUBCLASS	FII	LING DATE
FOREIGN PATENT DOCUMENTS									
EXAMINER'S INITIALS	PATENT NO.	DATE	CO		UNTRY	CLASS	SUBCLASS	Yes	Translation No
OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)									
"X-Ray nanolithography-the clearest path to 0.1 and sub-0.1 um ULSI", M.L. Schattengurg et al , JJAR Series 5, Proc. of 1990 Intern. MicroProcess Conference, pp. 63-70.									
	"Progress of SR lithography-A path to 0.1 micron feature size-", Nobufumi Atoda, International Conference on Advanced Microelectronic Devices and Processing", pp. 103-108, Mar. 3-5, 1994.								
	"Extendibility of synchrotron radiation lithography to the sub-100-nm region", Kimiyoshi Deguchi, Bulletin of Solid State Physics and Applications, Vol. 5, No.2, May 25, 1999, pp.59-64. (Partial English translation)								
					niro Takigawa, Na November 10, 19				
	"Lithography: Applied Physic				st process technol	ogy", Sh	inji Okazaki	, Journ	nal of
					aphy", M. Khan, Nov/Dec 1994, 1			ao, L.	Ocola, and
	"Sub-Half-Mic Ochiai, Cambr				ś", Katsumi Suzu 0, pp.66-69	ıki, Shin	ji Matsui and	d Yuki	nori
		N. Archie, J,	M. Oberscl		stem for synchrothidt, and R. P. Rip				
	thickness in sy Schttenburg, J.	nchrotron-ba Vac. Sci. To	sed x-ray li echnol. B 11	th	spatial coherence ography", Scott I 5), Nov/Dec 1993	D. Hector , pp2981	r, Henry I. S. 1-2985.	mith a	nd M. L.
					ules in complex pechnol. B 15(6),				
EXAMINER					ATE CONSIDER	ED	103		

INFO	INFORMATION DISCLOSURE			ATTY. DOCKET N	0.	SERIAL NO.			
	CITATION	IN AN		49657-961		09/769,49	ا		
OIPE	APPLICA	ATION					-		
NOV 2 5 2002 8				APPLICANT Kenji ITOGA	, et al.	1	16 20 ACC		
TATRADE	(PTO-1	,		FILING DATE  January 26, 2	2001	GROUP 2882			
a John I		U	.S. PATEN	T DOCUMENTS					
EXAMINER'S INITIALS				NAME	CLASS	SUBCLASS	FILINGEDATE		
			EIGN PAT	ENT DOCUMEN		<u></u>	3		
EXAMINER'S INITIALS	PATENT NO.	PATENT NO. DATE CO		COUNTRY	CLASS	SUBCLASS	Translation Yes No		
		-	_	or, Title, Date, Per					
"Mirror design and alignment for x ray lithography beamlines", Kenichi Kuroda and Takashi Kaneko, Jpn. J. Appl. Phys. Vol.34 (1995), pp.6767-6769.									
	"High efficiency beamline for synchrotron radiation lithography", Takashi Kaneko, Yasunao Saitoh, Seiichi Itabashi, and Hideo Yoshihara, J. Vac. Sci. Technol. B 9(6), Nov/Dec 1991, pp3214-3217.								
	lithography", k Technol. B 13(	K. Deguchi, I (6), Nov/Dec	K. Miyoshi, ç 1995, pp30		la, T. Oh	no, and Y. K	Kado, J. Vac. Sci.		
	Kihara, Shinji pp4298-4302.	Sugihara, an	nd Satoshi Sa	rns by using x-ray atoh, et al., J. Vac.	Sci. Tecl	nnol. B 14(6)	), Nov/Dec 1996,		
	Yuusuke Tanal Research & De	ka, Katsumi evelopment `	Suzuki, Tos Vol.42, No.1	rol in Proximity X shiyuki Iwamoto, S 1, pp.27-31, Januar	Shinji Tsu y 2001.	iboi and Yas	suji Matsui, NEC		
	Shimano, Hiro: (1995) pp.5856	fumi Tanaka 5-5861.	a, Yoshihiko	Synchrotron Radi Ozaki, and Kenji	Marumot	o, Jpn, J. Ap	opl. Phys. Vol. 34		
	Yutaka Watan Vac. Sci. Tech	abe, Shinich molo. B15(6	ii Hara, Nob ), Nov/Dec (	tron radiation stepputoshi Mizusaw, Y (1997), pp.2503-25	asuaki Fi 508.	ukuda and S	hunichi Uzawa, J.		
	Mitsui, Hajime	e Aoyama, K	Ciyoshi Fujii	KRA", Hiroaki Sur , Hiroshi Watanab (2001), pp.2448-2	e, Takao				
	"Parametric more Technol. B 120			e interfaces, L. E. 986-3989.	Ocola an	d F. Cerrina	, J. Vac. Sci.		
EXAMINER	ten			DATE CONSIDE	RED 3	112/03			

OIPE	O P E CITATION IN AN APPLICATION			ATTY. DOCKET NO 49657-961	O.	SERIAL NO.C 09/769,49	DEC-2 JOHN BOOM		
NOV 2 5 2002	APPLICA	ATION		APPLICANT Kenji ITOGA	, et al.		MAIL AS		
Republic Street	(PTO-1	449)		FILING DATE  January 26, 2	001	GROUP 2882	MOM		
		U	.S. PATEN	T DOCUMENTS					
EXAMINER'S INITIALS	PATENT NO.	DATE		NAME	CLASS	SUBCLASS	FILING DATE		
	L	FOR	ELCNI DA T	ENT DOCUMEN	TO	<u> </u>			
EXAMINER'S	Ι	FOR	EIGN PAT	ENT DOCUMEN	18	1	Translation		
INITIALS			COUNTRY	CLASS	SUBCLASS	Yes No			
	OTHER	ART (Inclu	ding Autho	or, Title, Date, Per	tinent P	ages, Etc.)	* *		
"The effects of secondary electron from a silicon substrate on SR x-ray lithography", Taro Ogawa, Kozo Mochiji, Yasunari Soda and Takeshi Kimura, Japanese Journal of Applied Physics, Vol. 28, No. 10, October, 1989, pp.2070-2073.									
"Sub-20 nm x-ray nanolithography using conventional mask technologies on monochromatized synchrotron radiation", G. Simon, A. M. Haghiri-Gosnet, J. Bourneix, D. Decanini, Y. Chen, F. Rousseaux, H. Launois, and B. Vidal, J. Vac. Sci. Technol. B15(6), Nov/Dec 1997, pp.2489-2494.									
				t Hefei National Sy l. B 8(6), Nov/Dec					
	"Resolution lin Nov/Dec 1992			, M. Feldman and	J. Sun, J	. Vac. Sci. T	echnol. B 10(6),		
		okamura, a		ray lithography", S ge Hisatsugu, J. Va					
	Deguchi, Kazu Yoshihara, J. V	nori Miyosh ⁄ac. Sci. Tec	i, Masatósh hnol: B 14(	lithography to the i Oda, Tadahito Ma 5), Nov/Dec 1996,	atsuda, A pp.4294-	kiru Ozawa 4297.	, and Hideo		
	FROM 4.5 nm Engineering 11	TO 0.83nm (1990), pp.	", K. Early, 317-321.	RADATION IN X- M. L. Schattenburg	g, and He	enry I. Smith	, Microelectronic		
				r Semiconductors" .oadmap/Litho.pdf.		. pp. p154 F	ig.23		
	"X ray lithogra T. E. Saunders pp.1942-1945.	phy source i	using a station and A. Zach	onary solid Pd targo arias, J. Vac. Sci. 7	et ", J. R. Technol.				
EXAMINER				DATE CONSIDER	RED	12/03			

							ACCAVA ON A				
THEO	RMATION	DISCLOS	SURE	ATTY. DOCKET	NO.	SERIAL NO. 8					
1012	CITATION	IN AN		49657-961		09/769,490 3					
NOV 2 5 2002	<b>/</b> \						THE WAY				
د د				ATTY. DOCKET NO. 49657-961 SERIAL NO. 09/769,490 APPLICANT Kenji ITOGA, et al.							
THE PROPERTY OF	(PTO-1	449)		FILING DATE  January 26,	2001	GROUP 2882	<i>;</i> •				
		U	T DOCUMENTS	S							
EXAMINER'S INITIALS	PATENT NO.	DATE		NAME	CLASS	SUBCLASS	FILING DATE				
INTIALS	TATENT NO.	DATE	NAME		CLASS	SOBCLINOS					
				_	-						
				-		<u> </u>					
		EOD.	ELCAL DAT	SENIO DO CLIMAE	NITTO	<u></u>					
FOREIGN PATENT DOCUMENTS  EXAMINER'S Translation											
INITIALS	PATENT NO.	DATE		COUNTRY	CLASS	SUBCLASS					
					<del>-</del>		Yes No				
							<u> </u>				
			<del></del>								
					<u></u>	<u> </u>					
				or, Title, Date, Pe							
	Jpn. J. Appl. P.	hys. Proc. O	f 1989 Inter	Hayasaka, H. Yos n. Symp. On Mic	roProcess	Conference,	Plaintiff:72-75.				
				lithography syste							
				Kenji Itoga, Yutak		be and Shun	ichi Uzawa, J.				
				2000 pp.2950-295							
				Canon XRA-1000							
	Mizusawa, Ko Technol. B 180			, Hirohisa Ohta ar	id Yutaka	Watanabe, J	. Vac. Sci.				
				· /		M Vhan C	Line C.D.				
	Rollenalli F (	x-ray nunogr Perring and I	apny to 50 l Maldonad	nm with a harder so, J. Vac. Sci. Tec	spectrum ;	, M. Khan, C 7(6) Nov/De	л. Пап, S. В. ec 1000 nn 3 <i>42)</i>				
	3432.	Ziiiia aliu j	. Waldonad	.o, s. vac. sci. 1cc	Amor. D r	7(0), 1407/100	ж 1999, pp.342				
	"Can proximity	x-ray lithog	raphy print	35 nm features?	Ŷes", Mu	mit Khan, G	eng Han, Gene				
				ado, and Franco C							
	Nov/Dec 2001,	.pp.2423-24	27								
				substrate in x-ray							
				itayama, H. Sumit		memiya, and	Y. Watanabe, J				
	1	nol. B 19(6)	, Nov/Dec 2	2001.pp.2439-244							
EXAMINER	( H			DATE CONSIDE	ERED	1. 1 6 3					
				3//2/03							

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to Applicant.

CORRECTED

CORRECTE	£ <b>D</b>					S`	HEET	<u>1</u> OF	4
INFC	ORMATION CITATION	N IN AN	SURE	49657-961	0.	SERIAL NO. 09/769,49	0		
	APPLICA	ATIONO	126						
		(_ JAN 1	6 2003	APPLICANT Kenji ITOGA, et al.					
	(PTO-1	449	DEMAN THE STATE OF	FILING DATE  January 26, 2	2001	GROUP <b>2882</b>			
		U	S. PATENT	T DOCUMENTS					
EXAMINER'S INITIALS	PATENT NO.	DATE		NAME	CLASS	SUBCLASS	FII	ING DATE	3
		FOR	EIGN PATI	ENT DOCUMEN	TS				
EXAMINER'S INITIALS	PATENT NO.	DATE	C	OUNTRY	CLASS	GROUP 2882  SUBCLASS  FILING DATE  SUBCLASS  SUBCLASS  Translation Yes No  Ages, Etc.)  LSI", M.L. Schattengurg et all p. 63-70.  Hobufumi Atoda, International y", pp. 103-108, Mar. 3-5,  Finm region", Kimiyoshi No.2, May 25, 1999, pp.59-  zaki, Shinji Okazaki and 20-227. (Partial English  ainji Okazaki, Journal of yamad, J. Xiao, L. Ocola, and yay 3935.  ji Matsui and Yukinori  Ithography", J. P.  J. Vac. Sci. Technol. B 11(6),  eature bias, and absorber r, Henry I. Smith and M. L.			
,				r, Title, Date, Per					
L				oth to 0.1 and sub-ClicroProcess Confe			Schatte	ngurg et	t al
	"Progress of SR lithography-A path to 0.1 micron feature size-", Nobufumi Atoda, International Conference on Advanced Microelectronic Devices and Processing", pp. 103-108, Mar. 3-5, 1994.								
		etin of Solid	State Physics						9-
	"Lithography: Applied Physic				ogy", Sh	inji Okazaki	i, Journ	nal of	
	"Updated syste F. Cerrina, J. V	om model for Vac. Sci. Tec	r x-ray lithog hnol. B 12(6	graphy", M. Khan, ), Nov/Dec 1994, j	L. Moha pp.3930-	mmad, J. Xi -3935.	ao, L.	Ocola, a	and
	"Sub-Half-Mic Ochiai, Cambr				ıki, Shin	ji Matsui and	d Yuki	nori	
	Silverman, C. Nov/Dec 1993	N. Archie, J. 5, pp2976-298	. M. Oberschi 80.	midt, and R. P. Rip	ppstein, .	J. Vac. Sci. 7	Techno	ol. B 11(	(6),
	thickness in sy	nchrotron-ba	ased x-ray litl	· -	D. Hector	r, Henry I. Si			·•
1	Raman Viswar	•	, J. Vac. Sci.	Technol. B 15(6),	Nov/Dec		-		ınd
EXAMINER	En_			DATE CONSIDERED $3/12/0 \ge$					

INFC	INFORMATION DISCLOSURE CITATION IN AN APPLICATION O 1 P &			ATTY. DOCKET NO. 49657-961 SERIAL NO. 09/769,490						
h		JAN	1 6 2003 2		APPLICANT Kenji ITOGA, et al.					
	(PTO-1	449)	ADEMAST.		DATE 18 26, 2	2001	GROUP 2882			
		U	S. PATENT	r doci	<b>IMENTS</b>					
EXAMINER'S INITIALS	PATENT NO.	DATE		NAME		CLASS	SUBCLASS	FII	LING DATE	
		FOR	EIGN PATI	ENT DO	CUMEN	TS				
EXAMINER'S INITIALS	PATENT NO.	DATE	C	OUNTRY		CLASS	SUBCLASS		Translation	
			-				00000.00	Yes	No	
	OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)									
"Mirror design and alignment for x ray lithography beamlines", Kenichi Kuroda and Takashi Kaneko, Jpn. J. Appl. Phys. Vol.34 (1995), pp.6764-6769.										
	"High efficiency beamline for synchrotron radiation lithography", Takashi Kaneko, Yasunao Saitoh, Seiichi Itabashi, and Hideo Yoshihara, J. Vac. Sci. Technol. B 9(6), Nov/Dec 1991, pp3214-3217.									
	"Fabrication of 0.2um large scale integrated circuits using synchrotron radiation x-ray lithography", K. Deguchi, K. Miyoshi, H. Ban, T. Matsuda, T. Ohno, and Y. Kado, J. Vac. Sci. Technol. B 13(6), Nov/Dec 1995, pp3040-3045.									
	"Replication of Kihara, Shinji pp4298-4302.	Sugihara, an	nd Satoshi Sa	toh, et a	l., J. Vac. S	Sci. Tech	nnol. B 14(6)	), Nov	/Dec 1996,	
	"Overlay and O Yuusuke Tanal Research & De	ka, Katsumi	Suzuki, Tosl	hiyuki Iv	vamoto, Si	hinji Tsu				
	"Control of X-I Shimano, Hirot (1995) pp.5856	fumi Tanaka 5-5861.	ı, Yoshihiko	Ozaki, a	nd Kenji N	√arumoto	o, Jpn, J. Ap	pl. Phy	ys. Vol. 34	
	"Novel illumin Yutaka Watana J. Vac. Sci. Te	abe, Shinich chnolo. B15	i Hara, Nobu (6), Nov/Dec	toshi Mi (1997),	zusaw <b>a</b> , Y pp.2503-2	Yasuaki F 2508.	Fukuda and S	Shunic	hi Uzawa,	
+	"Evaluation of Mitsui, Hajime J. Vac. Sci. Te	Aoyama, K	Liyoshi Fujii,	Hiroshi	Watanabe	, Takao T				
¥	"Parametric mo Technol. B 12(					Ocola and	1 F. Cerrina,	J. Vac	. Sci.	
EXAMINER	K		I	DATE C	ONSIDER	RED 3/1	203			

INFORMATION DISCLOSURE					ATTY. DOCKET NO. SERIAL NO.					
	CITATION	_			49657-961		09/769,49	U		
	APPLICA	ATION 6	IPE							
		(AL	1 1 6 2003		APPLICANT Kenji ITOGA, et al.					
	(PTO-1		84. (A. E.)	<b>'</b>	FILING DATE  January 26, 2	001	GROUP			
	· · · · · · · · · · · · · · · · · · ·		PADENA!	т	DOCUMENTS	001	2882			
EXAMINER'S	Ι		.S. TATEN	_	DOCUMENTS			FII	LING DATE	
INITIALS	PATENT NO.	DATE	DIGNI DAM		IAME	CLASS	SUBCLASS			
EXAMINER'S	T	FOR	EIGN PAT	E	NT DOCUMEN	IS		T	Translation	
INITIALS	PATENT NO.	DATE	CO		UNTRY	CLASS	SUBCLASS			
								Yes	No	
	OTHER	ART (Inclu	ding Autho	or.	Title, Date, Per	tinent P	ages, Etc.)			
OTHER ART (Including Author, Title, Date, Pertinent Pages, Etc.)  "The effects of secondary electron from a silicon substrate on SR x-ray lithography", Taro										
	Ogawa, Kozo Mochiji, Yasunari Soda and Takeshi Kimura, Japanese Journal of Applied									
4	Physics, Vol. 2	8, No. 10, C	october, 198	9,	pp.2070-2073.					
"Sub-20 nm x-ray nanolithography using conventional mask technologies on monochromatized synchrotron radiation", G. Simon, A. M. Haghiri-Gosnet, J. Bourneix, D. Decanini, Y. Chen, F.										
	2494.	Launois, an	u D. viuai,	J.	Vac. Sci. Technol	. D13(0)	, Novidec 1	991, p	p.2489-	
	"The first x ray	lithography	beamline a	t I	Hefei National Sy	nchrotro	n Radiation	Labor	atory",	
					B 8(6), Nov/Dec					
	"Resolution lin Nov/Dec 1992			",	M. Feldman and	J. Sun, J	. Vac. Sci. T	echno	B 10(6),	
					y lithography", Sl					
	Osada, Shigert 1993, pp.286-2		and Tokushi	ge	Hisatsugu, J. Va	c. Sci. T	echnol. B 11	(2), M	iar/Apr	
	***		on radiation	li	thography to the	sub-100	nm region".	Kimiy	oshi -	
	1	-			Oda, Tadahito Ma			-		
	Yoshihara, J. V	ac. Sci. Tec	hnol. B 14(	6),	Nov/Dec 1996, p	p.4294-	4297.			
					ADATION IN X-					
			_	M	. L. Schattenburg	, and He	nry I. Smith	, Micro	belectronic	
	Engineering 11			\r (	Semiconductors",	(1000)	nn n154 E	a 22		
	http://public.itr	s.net/Files/1	999_SIA_R	loa	admap/Litho.pdf.					
4			_		ary solid Pd targe ias, J. Vac. Sci. T					
EXAMINER	60		:	D.	ATE CONSIDER	ED	1. 1 -			
		_				3	110/03			

INFC	INFORMATION DISCLOSURE CITATION IN AN PERIOD APPLICATION  JAN 1 6 2003 2				ATTY. DOCKET NO 49657-961	NO. SERIAL NO. <b>09/769,490</b>				
		JAN 1	6 2003 <sup>(2</sup> )		APPLICANT Kenji ITOGA, et al.					
	(PTO-1	449) TATA	DEMARY	_	FILING DATE  January 26, 2	001	GROUP 2882			
		U	.S. PATEN	T D	OCUMENTS					
EXAMINER'S INITIALS	PATENT NO.	DATE		NAN	ME	CLASS	SUBCLASS	FII	LING DATE	
			<u></u>							
FOREIGN PATENT DOCUMENTS										
EXAMINER'S INITIALS			COUN	ITRY	CLASS	SUBCLASS	Yes	Translation No		
						_		163	No	
							<u></u>			
					Title, Date, Per		<u> </u>			
					asaka, H. Yoshi ymp. On Micro					
	material select	ion", Toyoki	Kitayama I	Kenj	ography system i Itoga, Yutaka pp.2950-2954.	Watanal				
		uji Uda, Yut	aka Tanaka,	, Hir	n XRA-1000 pr ohisa Ohta and -2960.					
					vith a harder spo Vac. Sci. Tech					
	Later than a first state of the contract of	Kitayama, Ju	ian Muldona		nm features ? Y and Franco Cer			_	The state of the s	
*	spectra", K. Ito	ga, K. Maru	moto, T. Ki	taya	strate in x-ray li ma, H. Sumitar .pp.2439-2443.	ni, M. Ār				
EXAMINER	£			DAT	TE CONSIDER	ED *//	2/03			